

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

1. (Currently Amended) A system for managing visual images of vehicles, comprising:

a first digital video image collector positioned to capture a first data file that is representative of a visual image of at least one feature of a first vehicle moving on a roadway, the first digital video image collector including a first communications port;

a first illumination source positioned to illuminate the at least one feature of the first vehicle;

a computing device having a processor, a memory, and a second communications port;

a first communications link between the first communications port and the second communications port;

a first information collection device comprising an open path emission sensor in communication with the computer, the first information collection device positioned to capture emissions data corresponding to the first vehicle.

2. (Original) The system of claim 1 wherein the first communications port is capable of transferring data at a transfer rate substantially equal to at least one of 100, 200, and 400 megabits per second.

3. (Original) The system of claim 1 wherein the first communications port substantially complies with the IEEE 1394 Standard for a High Performance Serial Bus.

4. (Original) The system of claim 1 wherein the first communications link comprises a serial connection capable of transferring data at a transfer rate substantially equal to a least one of 100, 200, and 400 megabits per second.

5. (Currently Amended) The system of claim ~~[[1]]~~ 7 further comprising:

a second digital video image collector positioned to capture a second data file that is representative of a visual image of at least one feature of a second vehicle moving on a roadway, the second digital camera including a third communications port; ~~and~~

a second illumination source positioned to illuminate the at least one feature of the second vehicle; and

a second communications link between the third communications port and the first digital video image collector.

6. (Currently Amended) The system of 5 wherein the second information collection device is further positioned to capture ~~at least one of speed, acceleration, and~~ emissions data corresponding to the second vehicle.

7. (Currently Amended) The system of claim 5 further comprising a second information collection device comprising an open path emission sensor in communication with the computer, the second information collection device positioned to capture ~~at least one of speed, acceleration, and~~ emissions data corresponding to the second vehicle.

8. (Original) The system of claim 5 wherein the third communications port is capable of transferring data at a transfer rate substantially equal to at least one of 100, 200, and 400 megabits per second.

9. (Original) The system of claim 5 wherein the third communications port substantially complies with the IEEE 1394 Standard for a High Performance Serial Bus.

10. (Original) The system of claim 5 wherein the second communication link comprises a serial connection capable of transferring data at a transfer rate substantially equal to at least one of 100, 200, and 400 megabits per second.

11. (Cancelled)

12. (Currently Amended) A method of capturing and managing vehicle images, comprising:
illuminating, using a first illumination source, positioned to illuminate at least one feature of the first vehicle;

collecting using a first video capture device, a first digital image of at least one feature of a first vehicle;

collecting, using a data collection device comprising an open path emission sensor, first data representative of emissions of the first vehicle; and

delivering the first digital image and the first data to a computer program memory via at least one communications link.

13. (Original) The method of claim 12 wherein the delivering step is performed at a transfer rate substantially equal to at least one of 100, 200, and 400 megabits per second.

14. (Original) The method of claim 12 wherein the delivering step is performed via a serial connection that substantially complies with the IEEE 1394 Standard for a High Performance Serial Bus.

15. (Original) The method of claim 12 comprising wherein the first video capture device and the memory are housed in a single housing, and the delivering step is performed via an IEEE 1394 serial bus.

16. (Original) The method of claim 15 wherein:

the first video capture device and the memory are housed in separate housing, and the communication link comprises a first communications port associated with the video capture device, a second communications port associated with the memory, and a serial cable; and

the delivering step comprises transferring data at a transfer rate substantially equal at least one of 100, 200, and 400 megabits per second.

17. (Cancelled)

18. (Currently Amended) The method of claim 12 comprising the additional steps of:

illuminating, using a second illumination source, positioned to illuminate at least one feature of the second vehicle;

collecting, using a second video capture device, a second digital image of at least one feature of a second vehicle;

collecting, using a data collection device, second data representative of emissions of the second vehicle; and

delivering the second digital image and the second data to the computer program memory.

19. (Original) The method of claim 18 wherein the delivering of the second data in the delivering step comprises delivering the second digital image to the first video capture device via a second communications link and subsequently delivering the second digital image to the computer program memory via a first communications link.

20. (Currently Amended) A system for capturing and managing vehicle images, comprising:

a means for capturing a first image of a first vehicle;

means for illuminating at least one feature of the first vehicle, said means positioned to illuminate the feature of the first vehicle;

a means for capturing first data representative corresponding to the first vehicle comprising an open path emission sensor; and

a means for delivering the first image and the first data to a memory of a computing device at a transfer rate substantially equal to at least one of 100, 200, and 400 megabits per second.

21. (Currently Amended) The system of claim 20, further comprising:

means for illuminating at least one feature of the second vehicle, said means positioned to illuminate the feature of the second vehicle;

a means for capturing a second image of a second vehicle;

a means for capturing second data representative of emissions corresponding to the second vehicle; and

a means for delivering the second image and the second data to the memory at a transfer rate substantially equal to at least one of 100, 200, and 400 megabits per second.

22. (Cancelled)